

EC Declaration of Conformity

(Construction Products Directive 89/106/EEC)

Rockfon Group

Hovedgaden 501

DK-2640 Hedehusene Denmark

Phone +45 4656 2122 Fax +45 4656 4030 www.rockfon.com

Declares under his responsibility that the following suspended ceiling membrane component for use internally in buildings

MediCare Standard

manufactured in the EU, with a nominal thickness range of 12-15mm, complies with requirements as specified in the European Standard for suspended ceilings EN 13964:2004 (Annex ZA).

Evaluated and declared product properties include:

- ✧ Reaction to Fire Euroclass A1
- ✧ Release of Formaldehyde Class E1
- ✧ Flexural Tensile Strength depending on modular size:

Length	Width	Thickness	Declaration
Any	Any	12mm	NPD
≤ 900mm	≤ 700mm	15mm	Class 1 / C / 0N
≤ 1250mm	≤ 700mm	15mm	Class 2 / C / 0N

- ✧ Weighted Sound Absorption Coefficient:

Thickness	Practical Sound Absorption Coefficients, α_p (E-200 mounting)						Declaration	
	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	α_w	Class
12mm	0,30	0,70	0,85	0,80	0,85	0,80	0,85	B
15mm	0,45	0,75	0,95	0,85	0,95	1,00	0,95	A

This declaration of conformity is supported by the EC Certificate of Conformity numbers 0749-CPD-BC1-533-1817-0123-04 and 0749-CPD-BC1-533-1817-0053-02 issued by BCCA, Rue d'Arlon 53, B-1040 Brussels.



Herman Voertmann
Managing Director
Rockfon Group

activeceilings™

ROCKWOOL
Rockfon®
ACTIVATE YOUR CEILING