

EC Declaration of Conformity

(Construction Products Directive 89/106/EEC)

Rockfon Group

Hovedgaden 501

DK-2640 Hedehusene Denmark

Phone +45 4656 2122 Fax +45 4656 4030 www.rockfon.com

Declares under his responsibility that the following suspended ceiling membrane component for use internally in buildings

Artic 0,80

manufactured in the EU, with a nominal thickness range of 15mm, complies with requirements as specified in the European Standard for suspended ceilings EN 13964:2004 (Annex ZA).

Evaluated and declared product properties include:

- ☐ Reaction to Fire Euroclass A1
- ☐ Release of Formaldehyde Class E1
- ☐ Flexural Tensile Strength 1/C/0N

- ☐ Weighted Sound Absorption Coefficient:

Thickness	Practical Sound Absorption Coefficients, α_p (E-200 mounting)						Declaration	
	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	α_w	Class
15mm	0,35	0,70	0,80	0,70	0,80	0,85	0,80	B

This declaration of conformity is supported by the EC Certificate of Conformity numbers 0749-CPD-BC1-533-1817-0128-04, 0749-CPD-BC1-533-1817-0095-03 and 0749-CPD-BC1-533-1817-0057-02 issued by BCCA, Rue d'Arlon 53, B-1040 Brussels.



Niels Blume-Frederiksen
Group Certification & Technical Data Manager
on behalf of the Rockfon Group Managing Director

Issued: 2013-01-04