

ROCKFON® Mono® Acoustic Direct





ROCKFON® Mono® Acoustic Direct

- Innovative, seamless, aesthetically pleasing acoustic ceiling
- All the benefits of a stone wool ceiling: excellent acoustic performance, fire protection and easy integration of all services
- Installed directly to suspended gypsum ceiling, the perfect design solution for new-build or renovation projects









- Stone wool panel (40mm)
- · Visible side: smooth and seamless acoustic render, available in white

ASSORTMENT

Edge	Module size	Weight	Recommended
detail	(mm)	(kg/m²)	installation System
Mono Acoustic Direct TE	1200 x 1200 x 40	6.0	ROCKFON System Mono Acoustic

 $Total\ weight\ incl.\ ROCKFON^*FastFix,\ ROCKFON\ Mono\ Acoustic\ Panel,\ Mono\ Powder\ Filler\ and\ Mono\ Ready-Mix\ Render\ will\ be\ 10\ kg/m^2.$



PERFORMANCES



Sound absorption


α_w: 1,00 (Class A)



Direct sound insulation

 R_w (C;C_{tr}) = 22 (-2;-3) dB

Sound Absorption values are only valid for horizontal flat ceiling surfaces





Reaction to fire

A2-s1,d0 (white)



Light reflection

78% (white)



Humidity and sag resistance Up to 100% RH



Cleaning

Vacuum



Hygiene

Stone wool provides no sustenance to microorganisms



Environment

Fully recyclable



Indoor environment

A selection of ROCKFON products have been awarded





We believe our acoustic stone wool and metal solutions for ceilings and walls are a fast and simple way to create beautiful, comfortable and safe spaces.

Easy to install and durable, they protect people from noise and the spread of fire. They are our way of making a constructive contribution towards a sustainable future.

Create and Protect is what drives us. It means putting people first, sharing success and maintaining trust.

It's our rock-solid promise to you. At ROCKFON, Create and Protect is what we do – and it's inspired by you.

ROCKFON Middle East

(Affiliate of ROCKFON / ROCKWOOL B.V., The Netherlands)
Office 136, JAFZA 16
P.O. Box 61082
Jebel Ali, Dubai
UNITED ARAB EMIRATES

Tel.: +971 4 8818179 Fax: +971 4 8818180

www.exp.rockfon.com rockfonme@rockfon.com

